

E	2017-4				
F	2020-5	1			

Q


AEC-Q100

A 2022-8-18 all




!"#\$%
Rev.A Aug.-2022


&'(')%*++(

!"#\$




0 8 9 = > ? % % , % % + > - 3 ; 2 / 3 6 % @ J 6 2 6 3 ; - 2 / 0 ; / 3 % @ = 2 . - %





" # I J % % , % % # 627/89%N80;2=3;/480%




Q

431

Note:

Q: Automobile halogen-free product Code

431: Product Type



K L M N O = > ? F P Q % , % % R S T U S V W X Y V S Z [\ \] ^ _ S Z [\ V Z ` a Z a S] _ \ b Z c \ _ d S V ^ e f g [h i j V S S k

Note:

- | | | | |
|---|-------------|------------|--|
| 1 | 150 200 | 60 120sec; | 1.Preheating:150~200°C, Time:60~120sec. |
| 2 | 255±5 | 5±0.5sec; | 2.Peak Temp.:255±5°C, Duration:5±0.5sec. |
| 3 | 2 10°C/sec. | | 3. Cooling Speed: 2~10°C/sec. |

I M m n A o p q % , % % % - 0 / 0 ; 6 8 3 - % ; 4 %) 4 > 1 - 2 / 8 9 % * - 6 ; % (- 0 ; % @ ² 10 ² 0 /